



2 Axes 3 Axes Plate Bending Machine Press Brake Bending Machine

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: genuo
- Minimum Order Quantity: 1
- Price: negotiable
- Packaging Details: carton box
- Payment Terms: L/C, T/T, D/P, D/A



Product Specification

- Feature: Bend Counting Function
- Benefits: Real-time Display Of Processing Quantity, Power-failure Memory Of Positions Of Stopper And Gliding Block, Memory Of Procedures And Parameters
- Highlight: **3 Axes Press Brake Bending Machine,**
2 Axes Press Brake Bending Machine,
2 Axes plate bending machine

Product Description

Product Description



Features

The machine is provided with bend counting function, for a real-time display of processing quantity and power-failure memory of positions of stopper and gliding block, as well as procedures and parameters. Imported ball bearing lead screw and linear guide rail are used for rear stopper, to ensure the positioning precision of rear Stopper, for processing precision of machine to be higher.

Optional Controller

ESTUN E21+ Shihlin Converter

E21+ Shihlin converter control via bus communication, wiring is simple, performance is good, block and back gauge can be positioned rapidly and accurately. Time relay is built in, partial logic function is realized. It is featured with low cost and high efficiency.



Cybelec CybTouch 8, Switzerland

CybTouch 8P is specifically designed for conventional (with torsion bar) 2-axes or 3-axes press brakes. It has an intuitive and vivid color full touch screen and a high integration of functions. Its robust design is available in panel or housing version. Thanks to its large keys, online help, simplified software and many other automatic functions that constantly guide the operator, CybTouch is as simple as a positioner control.

Delem DA-41s, Netherlands

The DA-41s control provides a complete solution for conventional (torsion bar) press brake applications for 2 axes. Offering a versatile solution for axes control for the press beam and back gauge as well as a flexible I/O configuration, based on the state-of-the-art electronics. An extremely classic and stable bending control system

**Stable Electrical Cabinet**

Durable France Schneider electrics ensure the stable operation of the machine. Reasonable line connection and arrangement greatly reduces the failure rate. And the operator and all parts of the machine played a good protection.

Optional Servo and drive to improve the positioning accuracy of X,Y Axis

Superior Hydraulic System

Integrated hydraulic system, quick response. The low failure rate makes the machine run safely, efficiently and stably. The whole series of standard is equipped with galvanized cold drawn pipe and German ferrule type pipe joint. Reduce the risk of oil leakage by 50% compared with rubber and welded seamless tubing. And in can be longer service life.



Diverse Press Brake Tools

Optimized design can make bending more simple and efficient. 42CrMo or C45 high frequency quenching process press brake tools, it is durable. Special surface nitriding treatment can be selected to prevent rust and beautiful appearance. Special punch and vdies can be customized according to the workpiece and GENUO provide a complete set of solutions.

Dedicated Foot Switch

South Korea KACON pedal switch, improving the service life and operational sensitivity. With emergency stop, up and down control division. Make machine operating safer and easier. It can also be equipped with multi-functional rocker Z1, Z2-axis, R-axis manual control.



Hot Tags: plate bending machine, China, suppliers, manufacturers, factory, price, cost, cheap, for sale, manual press brake machine, cnc hydraulic press, manual bending machine, cnc wire bending machine, hydraulic press bender, mechanical press brake machine



Maanshan Genuo Machinery Manufacturing Co., Ltd.



0086 555 7168598



sales@genuogroup.com



genuocnc.com

Wanda Center 1116, Yushan District, Maanshan, Anhui, China 243000