




## CNC Bending Machine Punch And Die High Precision 0.02mm Tolerance

### Our Product Introduction

#### Basic Information

- Place of Origin: China
- Brand Name: genuo
- Minimum Order Quantity: 1
- Price: negotiable
- Packaging Details: carton box
- Payment Terms: L/C, T/T, D/P, D/A



#### Product Specification

- Attributes: Array
- Highlight: CNC bending machine punch and die, bending machine punch and die High Precision, 0.02mm bending machine die and punch

for more products please visit us on [genuocnc.com](http://genuocnc.com)

**GENUO**  
Details Create Quality

## Press Brake Tools

The highest standard for  
defining bending techniques.....


- Extremely high precision
- Super bearing capacity
- Excellent surface finish



# Application

GENUO tooling is hardened and precision ground to give you optimal press brake performance with all critical tolerances within  $\pm 0.02\text{mm}$ . High precision performance helps eliminate secondary handling to correct errors while also helping to decrease bending costs.

AMADA | TRUMPF | LVD



**Amada/  
Promecam /  
EURO Style**




**Trumpf/  
Wila/  
EHT**




**LVD/  
Bystronic/  
Gasparini**



**1-V Die  
Insert Die  
T-Shape**



**2-V Dies  
Reversible  
Bolt Type**



**Multi-V Dies  
4-V Self-Center  
Customized**

# Various Solutions To Meet different needs

Bending | Forming | Hemming



## Bending

### Usage

Common 90° ,  
Other angle bending



## Forming

### Usage

Radius, Z-bend,  
Multilateral forming



## Hemming

### Usage


Flatting, Louver  
Hinge hemming

# High quality steel Deep-hardened

42CrMo | C45 | 50HRC



Selected high-quality 42CrMo steel forging  
Deephardened heat treatment process  
The hardness of the tools  
can reach 50HRC



# Quality of ingenuity Fine detail processing

Beautiful | Smooth | Unified



## Nitriding


Antirust

Improve corrosion  
resistance for  
longer performance

## Smooth

Neat and Clean

Reasonable chamfer  
and vertical section  
make it easier to use



## Splicing

Perfect Alignment

High standard  
straightness & self center  
ensure bending accuracy

# Parameters

## Let you know me better

Laser marked | Size | Capacity



BRAND: GENUO

LENGTH: 800/835MM

NAME: PUNCH

HEIGHT: 120MM

MATERIAL: 42CRMO/C45



ANGLE: 88°

HARDNESS: 50±5HRC

MAX : 500KN/M

# Divisions with Tools Arbitrary bending length

Segment | Horns | Customizable



Note The above is the standard segmentation . We can produce any length from 10mm to 8000mm.

## Products parameter

| Type  | Hight(mm)                 | Degrees(°)        | Radius(mm)                  |
|-------|---------------------------|-------------------|-----------------------------|
| Punch | 67/80/85/100/105/120/200  | 30/45/60/86/88/90 | 0.2/0.5/0.8/1.0/1.2/1.5/2.0 |
| V Die | 26/46/55/60/65/80/100/120 | 30/45/60/86/88/90 | 0.2/0.5/0.8/1.0/1.2/1.5/2.0 |

Hot Tags: cnc bending punch tools, China, suppliers, manufacturers, factory, price, cost, cheap, for sale,



Maanshan Genuo Machinery Manufacturing Co., Ltd.



0086 555 7168598



sales@genuogroup.com



genuocnc.com

Wanda Center 1116, Yushan District, Maanshan, Anhui, China 243000