Direct Sell 6mm Thickness Manual Guillotine Metal Shearing Machine with 7.5kw Power and Cutting Thickness of 4-40mm

Basic Information

\$6,800/sets 1-1 sets • Price:



Product Specification

Max. Cutting Width (mm): 8000 . Max. Cutting Thickness (mm):

Automatic Level: Fully Automatic

Shearing Angle: 1.5 • Blade Length (mm): 5000 • Backgauge Travel (mm): 10 - 800 Mm

• Throat Depth (mm): 240 • Brand Name: **GENUO** • Power (kw): 7.5 · Weight (kg): 4500

• Place Of Origin: Anhui, China Voltage: 220V/380V

5700*1850*2150 Mm • Dimension(I*w*h):

• Warranty:



More Images









Products Description

GUillotine Shear/ HG Series

SHEARING MACHINE



Powerful Shear Force

- Easy To Use
- O Reliable Brand
- O Economic / Efficient



GENUO has rich production experience and technology in shearing cutting machines, we began to produce the simplest hydraulic metal sheet cutter many years ago, and now we provide hydraulic metal cutting machines manufactured in our world-class manufacturing facilities. Through continuous innovation and solution orientation, our existing shears around the world have made some suggested adjustments. Both swing beam type and guillotine type plate shears can bring you simple and efficient sheet metal cutting. In recent years, various cutting machines for metal sheet are popular. But we have not stopped the pace of innovation. The new generation of hybrid low energy consumption and noise CNC plate shears will be one of your indispensable choices.

Standard Equipment

- ESTUN E21S NC control
- Shilin stepping motor frequency converter
- Back gauge with roll guide and ball screw
- SIEMENS main motor, Schneider electric
- Sunny pump, Rexroth hydraulic valve
- EMB ferrule type pipe connector,NOK sealing rings
- Roller bearings on the front support table

Optional Equipment

- □ E200PS/ CybTouch 8/ DAC-360T CNC control
- □ Sheet support system for thin sheets
- ☐ Energy saving main servo motor pump system
- ☐ Moveable controller panel, Wireless foot pedal
- ☐ Hydraulic oil cooling and heating system
- □ Automatic blade gap adjustment device
- $\hfill\Box$ Front angle gauge and side gauge

- Sheet sliding system and front support arms
- Collapsible guardrail finger protection
- $\hfill \ \Box$ Light safety system for finger protection
- □ 4~40mm thickness,1.6~8M length optional

To Learn More Click Here >>

CNC Controller



E21S(ESTUN)

Backgauge control; Control ordinary motors or inverters; Intelligent posi- tioning; Dual programmable digital output; Workpiece count; 40 program storage, Each program has 25 steps;Unilateral positioning; Metric system. Yield function; One-key backup and restore of parameters;



E200PS(ESTUN)

CAN bus control X axis sevo;Shear control;Dual programmable digital output;40 program storage, each program has 25 steps; Unilateral positioning;Built-in cutting time, retreat delay; One-key backup and restore of parameters; Full-function online diagnosis, real-time alarm prompt Reserve a safe, supporting material interface; Color LCD HD display;

Color LCD HD display; Metric/English;Chinese-English.



CybTouch 8 G(CYBELEC)

High-contrast touchscreen, with vivid colors. Simple pages, large keys, clear display with all the information the operator needs. Intuitive and user-friendly interface. Complete programming of parts in seconds. Quick set up of the machine with the EasyCut page. Contextual help and waming pop-up.




DAC-360T (Delem)

Panel based housing;Bright LCD screen;Back / front gauge control; Retract function; Cutting angle and gap control; Stroke length limitation; Manual movement of all axes; Force control;Sheet thickness measurement; Retum to Sender function; Sheet support.

General Instructions

The guillotine shear designed with European style monoblock welding structure to fully ensure the strength and rigidity of the machine. The advanced integrated hydraulic system and three-point supporting rolling guide rail can adapt to the shearing of different materials and thicknesses. The electric adjustment of the upper and lower blade edge clearance and the accurate back gauge system make shearing more convenient, rapid and accurate. Four rectangular blades ensure extremely long service life.GENUO's guillotine shears, which have the advantages of stable and reliable operation, low noise, low energy consumption and fast speed, bring stable profits to the enterprise.



Hydraulic Hold downs

Built-in spring structure, where the lower part with special materal gasketstoad leing trace line On aluminum alloy or other sensitive material.



Light Barrier Protection



Shear Blades

High Precision Ball Screw Made using special alloy steel according to the customer's needs: material to be cut, holes & hardening.suitable to guarantee reliability & wear resistance. The machine can be equipped with 9CrSi, 6CrW2Si and SKD-11 all steel shear blade.



Fast Blade Gap Adjustment



Exquisitely Back Gauge

- Fast and high accuracy Reliable movement - Adjustment from each point Resistance to crash - Maintenance free
- The unique and novel ball screw linear guide
 structure back-gauge ensures high positioning
 accuracy. Adjustable beam guiding rule and synchronous
 transmission structure, stable and reliable.

Machine System

Hydraulic System

World Class Hydraulic Valve

Rexroth or Parker

Integrated hydraulic system, quick response. The

low failure rate makes the machine run safely,

efficiently and stably. Reduce the risk of oil

leakage by 50% compared with most ma

-chines. And in can be longer service life





Power System

Strong Shearing Power

SIEMENS & SUNNY

Siemens main motor and USA SUNNY gear oil

pump guarantee the machine service life and

improve the machine working stability. The

special coupling device also greatly

reduces the noise of the machine.



Upgradeable Instructions







Angle Protractor Positioning Device




Pneumatic Sheet Support System

GUILLOTINE SHEAR

Machine Features

Powerful And Fully Compatible




Up to 2 Feet Cut Length

Up to 2"Mild Steel Cutting Capacity


DIFFERENT MATERIALS



Mild Steel Smooth and neat



Stainless Steel Smooth and neat




Aluminum plate Smooth and neat



Sheet Copper Smooth and neat

TECHICAL SPECIFICATION



(mm)

2500

3200

4000

5000

6000

2500

3200

Model

Type

6x2500

6x3200

6x4000

6x5000

6x6000

10x250

0 10x320 (mm)

6


6

6

6

10

10



(°)

0.5-1.5

0.5-1.5

0.5-1.5

0.5-1.5

0.5 - 2

0.5 - 2

0.5 - 2

20~750

20~750

		W	
Stroke	Main Power	Approx Weight	Overall Dimension
(mm)	(Kw)	(T)	$L \times W \times H$) mm
20~600	7.5	5.5	3800x1700x1950
20~600	7.5	6.5	4100x1700x2000
20~600	7.5	8.5	5200x1840x2150
20~600	11	11	6000x1840x2150
20~600	11	16	7000x2100x2300

6.8

8.5

11

11

3800x1800x1950

4300x1830x2000

10x400 0	10	4000	0.5 - 2	20~750	15	12.5	5200x2100x2000
10x500 0	10	5000	0.5 - 2	20~750	15	18	6000x2100x2000
10x600 0	10	6000	0.5 - 2	20~750	15	24	7000x2100x2300
10x800 0	10	8000	0.5 - 2	20~750	18.5	32	8800x2100x2300
13x250 0	12	2500	0.5-2.5	20~750	15	8.5	3800x1830x2390
13x320 0	12	3200	0.5-2.5	20~750	18.5	10.5	4300x1830x2390
13x400 0	12	4000	0.5-2.5	20~1000	18.5	13.5	5200x1830x2390
13x600 0	12	6000	0.5-2.5	20~1000	18.5	26	7000x1930x2650
13x800 0	12	8000	0.5-2.5	20~1000	22	46	8950x2130x2850
16x250 0	16	2500	0.5-2.5	20~1000	22	10.8	3800x1940x2830
16x320 0	16	3200	0.5-2.5	20~1000	22	12.5	4300x1940x2830
16x400 0	16	4000	0.5-2.5	20~1000	22	16.5	5200x1980x2830
16x500 0	16	5000	0.5-2.5	20~1000	22	25	6000x2600x2830
16x600 0	16	6000	0.5-2.5	20~1000	22	34	7000x2700x2830
16x800 0	16	8000	0.5-2.5	20~1000	30	70	8950x2900x3430
20x250 0	20	2500	0.5-2.5	20~1000	22	13	3800x1980x2830
20x320 0	20	3200	0.5-2.5	20~1000	22	17	4300x1900x2830
20x400 0	20	4000	0.5-2.5	20~1000	22	22	5200x2600x2900
20x600 0	20	6000	0.5-2.5	20~1000	30	45	7000x3000x3000
30x250 0	30	2500	1 - 3.5	20~1000	37	24	3800x1900x2830
30x320 0	30	3200	1 - 3.5	20~1000	37	29	4300x1900x3000
40x250	40	2500	1 - 3.5	20~1000	45	36	3800×2000×3000

The above data is only for reference only,to prevail in kind. More specifications available. click here!

Please

Recommend Products

Company Profile




Maanshan Genuo Machinery Manufacturing Co., Ltd

GENUO was founded in 1993, we are specializing in the design, manufacture and sales of sheet metal equipment, such as CNC Press Brake, Hydraulic Shearing Machine, Laser Cutting Machine, etc. with more than 20 years of experience, the company has more than 200 employees, more than 10 engineering and technical personnel. Strong technical force, advanced processing equipment, scientific quality management provide continuous power for the sustainable development of us. We are not only an ordinary manufacturer, our product maximize the realization of independent R & D and production of machines and related accessories. With super high production and manufacturing standards, accessories are also well-known international brands. Our products are all over the world, and are exported to Europe, America, Southeast Asia, Middle East and other regions. As our customers' trusted friends, pursuing perfection and perseverance is our customers' eternal goal. Continuous development and progress is our eternal pursuit.

20+ Experience 80⁺ Products

100+ Employees 2000+ Annual Output



Ratings & Reviews



GENUO is your single and indispensable partner in the sheet metal working industry here.

To learn more about Genuo's customer usage feedback, you can check it out here.

Production Every place is harsh and persistent pursuit, Just for you STRICT MANUFACTURING PROCESS

We Focus on All the Time

RICH EXPERIENCE

Each link shall be strictly controlled

The production process is in accordance with the highest standards

Ensure excellent quality and perfect details





Workshop



Machining Area




Assembly Area



Finished Area

We provide continuous after-sales service comprehensive customization and high performance solutions All levels of quality inspection and timely delivery



Powerful Equipment



Processing Machinery



Transportation



Packaging & Delivery

Professional debugging, rapid response, 24-hour online



CREATE A CENTURY BRAND

Good after-sales can be worry free
Customer service responded 24h.
Create quality after-sales service and enhance brand value

Guidance

Free training

Professional guidance and training to ensure the normal operation

Warranty

2-Years Warranty

Super long-term warranty is our confidence in quality and commitment

Maintain

Lifelong service

Professional team to ensure that your machine is super long service.

Customer Feedback

REAL SHOOTING CASES

Stand the test of time, Worthy of customers' trust

Good Reviews

CUSTOMER AFFIRMATION

Exported to more than 80 countries and regions

Over 2000 companies have been served in total

Products are affirmed and recognized by customers













GENUO IN CIIE



GENUO IN CIEF



Distributor



GENUO In Hannover

FAQ

Q2: How long is your delivery time?

A2: General speaking, if the machines is in stock, we can delivery them with 3-7 days, If the quantity is 1-2 container, we can give you with 25-35 days,if the quantity is more than 2 container and you are very urgent, we can let factory priority produce your goods.

Q3: Do you provide samples ? Is it free or extra ?

A3: For new customer, We can provide charge samples for standard fastener. For old customer, We will send you free samples But the clients will pay the express charges.

Q4: What is your terms of payment?

A4: We can accept T/T,LC for general order ,Paypal and Western union for small order or samples order. Payment<=1000USD, 100% in advance. Payment>=1000USD, 30% T/T in advance ,balance before shippment.

Q5. How about your machine quality?

A5:Our machines distribute worldwide to about 50 counties where there are metal plate ind ustry ,there are Brilliant machines And where there are our machines, there are good reputation and terminal user satisfaction.

Q6.How about your after-sale service?

A6:1.Technical solutions: we can provide technical solutions within one day.

2.Online video: Show you machine working video in factory.(update every week)

3.Installation service: This is available with all of our machines, live video can be provided. We can also dispatch technician to customer's factory for installation machines.

(Customers only need to pay for the airfare and hotel expense.)

4.Training service: Our technician will teach you how to use our machines. As well, you may send your technician to our company to learn how to operate machines.

5.Quality guarantee: 2 years warranty, we provide lifetime service. We arrange final test before shipment, After making sure machine is the best performance, then make shipments.

6.100% response rate: we will reply your questions within 12 hours.

Contact us



wwww.genuogroup.com

Bryson Yuan

Sales Director



Maanshan Genuo Machinery Manufacturing Co., Ltd.

+86 18355518185

+86 555 7168599

sales@genuogroup.com

East Industrial Park, Bowang District, Ma'anshan, Anhui, China



Maanshan Genuo Machinery Manufacturing Co., Ltd.



0086 555 7168598



sales@genuogroup.com



genuocnc.com

Wanda Center 1116, Yushan District, Maanshan, Anhui, China 243000